


Lüscher Xpose! 160 or 180

BRAKENSIEK®
SYSTEMHAUS



Lüscher Xpose! 160

Non-new

TP systems B1 / B0

Construction method

Inside drum and outside drum combined ones.

Format class

B0

max. resolution

2,540 dpi

Product details

hauptsächl. Operational areas

Akzidenz, rotation, packaging

maximum Plattendurchsatz

244 mm / min.

Exposure technology

Construction method

Inside drum and outside drum infeed

max. exposure surface

1,700 x 1,370 mm

Source of light

Ir diode, 830-951 nm

Resolution steps

1.200/From the 1.270 / 1.800 to the 2.400 / 2.540 dpi

Material use

minimum record format

arbitrarily

maximum record format

1,700 x 1,370 mm

Record stock

4 or 6 x 80 records (0.3 mm)

Other


Base

300 x 149 cm

Height

165 cm

BRAKENSIEK®
SYSTEMHAUS



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der

**Brakensiek Systemhaus
GmbH & Co. KG**
Klönnestraße 94
D-44143 Dortmund**BRAKENSIEK®**
SYSTEMHAUS

Mitglied im

**www.brakensiek.com****Tim Brakensiek**

Mitglied des

 **+49(0)231.985-00 10**

Premium Partner

 **+49(0)231.985-2000**