

# Luxel F-9000 3-beam

**BRAKENSIEK®**  
SYSTEMHAUS



## **Luxel F-9000 3-beam**

### **Luxel F-9000 Specifications**

Format B1 +

Maximum media size 1130 mm x 930 mm (44.5" x 36.6")

Maximum imaging size 1122 mm x 930 mm (44.1" x 36.6")

Full size plate-ready film in positive and negative modes

Media Widths 559 mm (22"); 768 mm (30"); 1067 mm (42"); 1130 mm (44.5")

Media thickness 0.1 mm (0.004") and 0.18 mm (0.007")

Media supply binary input cassettes; cassette database for up to 7 cassettes; drop in daylight loading

Punching options Billows; standard and the US wild boar; Stoesser; Kamata. Custom options available

### **Resolutions & imaging speed**

Imaging speed shown in cm<sup>2</sup> / min (ins<sup>2</sup> / min)

Resolution 1 laser 2 lasers 3 lasers (estimated)

48 l / mm

(ln 1219 dpi) in 5813

(901) 11,625

(1802) 17,437

(2703)

72 l / mm

(ln 1828 dpi) in 3875

(600) IN 7750

(1201) 11,625

(1801)

96 l / mm

(ln 2438 dpi) in 2907

(451) IN 5813

(901) IN 8719

(1351)

144 l / mm

(ln 3657 dpi) N/A

N/A 3875

(600) IN 5812

(900)

Imaging Precision engineered internal inverted C around

Upgradeable advanced multinational laser technology

High speed spinner control

Fully automatic film handling and transport

Light sources 635nm red laser diode

User interface innovative touch screen control panel

Software support Choice of rep: Valiano ROOM, CelebraNT and HQ

Designed as in integral component of Fujifilm's Valiano workflow solution

RIP recorder interface Ultra-wide SCSI

Processor AP-1250X high speed deep refuel processor

Media types Red sensitive one rolling fed Fujifilm HQ system

### **Environment**

Optimum performance range 23°C ± 2 °;

55% OF RH ± 5%

Operating tolerance 18 ° - 29°C; 20 - 70% of RH, non condensing

Dimensions in 1400 x in 2000 x 1100 mm (h x w x d);

55 x 79 x 43"

Weight 840 kg / 18.48lbs (approx)



**BRAKENSIEK®**  
**SYSTEMHAUS**



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MwSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus  
GmbH & Co. KG**  
**Klönnestraße 94**  
**D-44143 Dortmund**

**BRAKENSIEK®**  
**SYSTEMHAUS**



**[www.brakensiek.com](http://www.brakensiek.com)**

**Tim Brakensiek**



 **+49(0)231.985-00 10**



 **+49(0)231.985-2000**