

Mitsubishi SDP-Eco 1630 III



Mitsubishi SDP-Eco 1630 III

Exposure technology

Construction method: Level bed

Source of light: red laser diode (635 nm)

max. resolution: 2,400 dpi

sheet efficiency: to 28 sheets / hrs. 404 x 450 mm with 2,400 dpi

Material use

max. sheet format: 454 x 580 mm

min sheet format ': 229 x 220 mm

automat. sheet supply: yes

On-line sheet development: yes

Inline punch: integrated Stanzeinheit Barking or DS system, optionally external hatchet punch device

Other

Base: 100 x 80 cm

Height: 107 cm

Remarks: very inexpensive system simply to be used; full machine; low chemical consumption; price incl. SDP-Rip 7.0, Rip PC and monitor

BRAKENSIEK®

SYSTEMHAUS

No picture available.

Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der

**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund****BRAKENSIEK®**
SYSTEMHAUS

Mitglied im

**www.brakensiek.com****Tim Brakensiek**

Mitglied des



+49(0)231.985-00 10

Premium Partner



+49(0)231.985-2000