

# Standardzoom AF 28-80mm

**BRAKENSIEK®**  
SYSTEMHAUS



Standard zoom AF 28-80mm FA / 3,5-5,6 Aspherical

The standard zoom of the top class. Adaptable taking a photo of real 28 mm of wide corner up to 80 mm of portrait focal length. Equipped with an asphärischen lens to the picture mistake correction for excellent and pin sharp pictures.

**Data**

Article number 177D

Groups - elements 7-7

Angle of vision 75 - 30

Construction method rotary zoom

Number of screen lamellae 6

The smallest screen 22

the shortest set distance [m] 0.7

Max Abbildungsmaßstab 1:8

Filter size [mm] 58

Weight [g] 237

The biggest diameter x construction length [mm] 72 x 70.4

Luminosity 3,5-5,6

Focal length [mm] 28 - 80

Solar screen

Canon AF

Minolta AF

Nikon AF

Pentax AF

**BRAKENSIEK®**  
SYSTEMHAUS



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus  
GmbH & Co. KG**  
**Klönnestraße 94**  
**D-44143 Dortmund**

**BRAKENSIEK®**  
**SYSTEMHAUS**



**[www.brakensiek.com](http://www.brakensiek.com)**

**Tim Brakensiek**



 **+49(0)231.985-00 10**



 **+49(0)231.985-2000**