

APC NetBotz 420 Wall Appliance with Camera

BRAKENSIEK®
SYSTEMHAUS



APC NetBotz 420 Wall Appliance with Camera

IP-based surveillance

NetzBotz - this is the new IP security appliance basiernde of APC. The NetBotz 420 is the latest generation of surveillance systems. The modular design offers tremendous flexibility and expandability. The camera modules (camera pods) and the sensor modules (sensor pods) can be operated at a distance of about 100 meters to the base station and are hereby awarded to manage large server rooms or entire floors. Moreover, the base station with a wireless connection via the wireless 802.11a/b/g be connected to the LAN.

The camera module is equipped with a microphone and offers a resolution of up to 640 x 480 and a maximum frame rate of 30fps. The NetBotz 420 is a 35 ° x 28 ° W H C-mount lens and a CS adapter (field of view up to 64 ° 53 ° W x H) delivered. The alarm signal is transmitted using SSL encryption. The NetBotz 420 has adjustable set limits and rules for alerting and alarming levels.

• Technical specification NetBotz 420

General

Number of Additional Camera Pods: 1

Total Non-Camera Pods: 4

Type of Camera Pods Supported: Camera Pod 120

Camera Resolution: 640 x 480

Lens: 8mm C-mount lens with included CS adapter. Replaceable with standard 1/2 "C or CS lenses

External Sensor Ports: 4

Additional Number of Sensor Pods: 4

- High-performance color camera with a max. Von1280x1024 resolution and a max. Refresh rate of 30 Hz
- Built-in microphone for audio recording and alarm (external microphone port available)
- Connection for external speaker to play the alarm signals
- Sensor for Door Switch
- Connection for CCTV camera with BNC, RCA, or S-Video input.
- IP-enabled, integrated web server
- alerting via email, SNMP, Text Messaging, FTP, HTTP and Web Services
- PC Card adapter slot for optional Wireless Ethernet (802.11a/b/g) or GSM / GPRS modem
- Periodic status notification via email, FTP, and HTTP
- Supports PPP over USB (dialup modem)
- SSL encryption for live broadcast
- Up to 24 hours "onboard data retention" for subsequent viewing of alarms, measuring graphics, images and audio clips (an optional expansion up to 60GB of external storage medium increases the recording capacity of up to 6 months)
- Advanced View 2.x console software supports video playback, viewing of alarms and graphics
- Adjustable alarm actions and profiles as well as different levels of escalation



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus
GmbH & Co. KG**
Klönnestraße 94
D-44143 Dortmund

www.brakensiek.com

 **+49(0)231.985-00 10**

 **+49(0)231.985-2000**

BRAKENSIEK®
SYSTEMHAUS

Tim Brakensiek