

Nordmann Engineering Dampfluftbefeuchter



The humidifier CCDair regulates the humidity with it:

Non-new

- People feel comfortable indoors and stay healthy,
- High performance computers are constantly working,
- Can reduce production operations commodity to a minimum or to fruit, vegetables or meat in warehouses remains fresh and appetizing appearance (color, shape, etc.) reserves.

For all these applications is the Nordmann Engineering AG steam humidifier is the right choice, controlling for the humidification and decisively improves the indoor climate.

Type: RC 222

Specifications:

Maximum steam capacity: 2 kg / h
Operating steam power: 1-2 kg / h
Power Rating: 1.5 kg / h

Dimensions (mm) Width: 300
Height: 476
Depth: 188

Curb weight: 7.5 kg
Operating weight: 11.5 kg

Operating voltage 220/240V



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der

**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund****BRAKENSIEK®**
SYSTEMHAUS

Mitglied im

**www.brakensiek.com****Tim Brakensiek**

Mitglied des

 **+49(0)231.985-00 10**

Premium Partner

 **+49(0)231.985-2000**