

# Gretag Densitometer D200-II



Not-New

"Durchlichtdensitometer"

Maße: B, H, T: 31/ 14/ 46,5cm

Optimal zum Einmessen/Kalibrieren von Laserbelichtern, CTP Belichtern, Capstanbelichtern

Gerät mit eingebautem Leuchttisch, maximale Präzision bis Dichte 6

Densitometers for prepress and printing. In the classical field of densitometers, Gretag today has two products: the D200 for transmission and the D19C for reflection. Both are the result of several decades of product development, and it is correct to say that both products represent the end of a development.

The D200 measures halftone and continuous-tone films up to a density of 6.0 log.D. and displays the values either as densities or dot percentages. Color transparencies also can be measured, a process that requires changing the measuring head.



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus  
GmbH & Co. KG**  
**Klönnestraße 94**  
**D-44143 Dortmund**

**BRAKENSIEK®**  
**SYSTEMHAUS**



**[www.brakensiek.com](http://www.brakensiek.com)**

**Tim Brakensiek**



 **+49(0)231.985-00 10**



 **+49(0)231.985-2000**