

# Sony HDR-XR200VE Handycam + Video Flash Light + Battery Charger



Sony Handycam HDR-XR200V + video + Flashlight Battery Charger

Non-new

Extra-long record time, very high picture quality and smart features

Up to 50 hours of Full HD recording on 120GB hard drive, 15x optical zoom, 5.1 sound

- \* Even longer shots
- \* Sharp HD videos and photos
- \* Less camera shake, even when you're walking

#### Features HDR-XR200V

- \* Full HD 1920 x 1080 video recording at high bit-rate using AVCHD format
- \* Up to 50 hours HD recording on 120GB hard drive plus HYBRID recording on optional Memory Stick™
- \* Exmor™ CMOS sensor for brilliant picture quality with high sensitivity and low noise
- \* High speed BIONZ image processor for enhanced image quality and responsive performance
- \* Carl Zeiss® Vario-Sonnar® T\* lens with 15x optical zoom and 180x digital zoom
- \* Optical SteadyShot with Active Mode for up to 10 times wider image stabilizing area: assures stable images even if you are on the move
- \* XvColour mode for vivid, lifelike colors with compatible TV
- \* Face Detection automatically gives clearer, natural looking faces. Smile Shutter automatically captures photos of smiles even during video recording
- \* D-Range Optimiser with Auto Backlight Correction adjusts exposure and contrast in scenes with backlight and provides a uniform illumination
- \* Taking photos with a resolution of 4 million pixels on internal hard disk or removable Memory Stick™

#### Technical specifications HDR-XR200V

Please note that the features / specifications can differ from country to country.

Hide all

Audio

Audio System

Dolby® Digital 5.1-channel

Audio Dubbing (12 bit)

NO

Built-in microphone

Zoom-in microphone, 3-channel

Built-in speaker

JA

Surround Recording

JA

Camera

Image Device: Size

1/5 "Exmor™ CMOS sensor

14 Bit DXP

NO

ClearVid array technology

JA

Exmor technology

JA

Advanced HAD technology

NO

Image processor

BIONZ

x.v.Colour

JA

Number of Pixels Gross (K)

2360

Total Number of Pixels "Camera" (in thousands)

16:9 mode: 1490/4: 3 mode: 1120

Total Number of Pixels "Memory" (in thousands)

16:9 mode: 1490/4: 3 mode: 1990

Focus: Full Range Auto

JA

Focus: Manual

JA

Manual Focus

Display / wheel

Spot Focus (Touch Panel)

JA

Spot Meter

JA

Minimum Illumination (lux)

5 (shutter speed 1/25)

Minimum Illumination with NightShot (NightShot) (Lux)

0

SteadyShot (image stabilization)

Optical

Optical SteadyShot (Active Mode)

JA

Face Recognition

JA

Smile Shutter

JA

D-Range Optimiser

JA

NightShot

JA

Noise Reduction (camera)

JA

Closing time

1/2-1/800 (including Scene Selection)

White Balance

Auto / Outdoor / Indoor / One-push

Scene selection

Twilight / Twilight Portrait (Still only) / Candle / Sunrise &  
-untergang/Feuerwerk/Landschaft/Porträt/Spotlight/Strand/Schnee

Auto Slow Shutter

JA

Colour Slow Shutter

JA

Backlight compensation

JA

Smooth Slow

JA

Interval Recording

NO

Fader

Black / White

Tele Macro

JA

Dimensions

Depth (mm)

122

Height (mm)

68

Width (mm)

70

Weight (without Tape / Battery) (g)

390

Flashlight

Built-in flash

JA

Automatic Pop

NO

Video Light

NO

Flash Mode: Recommended Distance (Memory Mode) (m)

0.3 to 2.5

Hologram AF

NO

NightFraming

NO

Connections

Audio Input

NO

Audio output

JA

Video Input

NO

Video output

JA

S-Video input

NO

S-video output

YES (with optional accessory cable)

i.LINK™ (DV) input

NO

i.LINK™ (DV) output

NO

USB input

YES (USB 2.0 Hi-Speed)

USB output

YES (USB 2.0 Hi-Speed)

Component video output

JA

HDMI™ output

JA

External microphone input

NO

Headphone jack

NO

Lens / zoom

Lens

Carl Zeiss® Vario-Sonnar® T \*

F

1.8 to 2.6

f (Focal Distance) (mm)

3.2 to 46.5

f (converted to 35-mm camera): Camera mode (mm)

16:9 mode: 40-600/4 3 mode: 49-735



f (converted to 35-mm camera): Memory (mm)

16:9 mode: 40-600/4 3 mode: 37-555

Filter Diameter (mm)

30

Zoom (optical)

15

Zoom Ratio (Digital)

180

Precision Digital Zoom

JA

Zoom button

Lever / Button on LCD frame

Lockdown

Still image recording on Memory Stick

JA

Still image recording on internal HDD

JA

Still Image Compression

JPEG

Recording media

Memory Stick Duo <sup>TM</sup>

Compatible with Memory Stick PRO <sup>TM</sup>

JA

Image Size: Max

16:9 mode: 2304 x 1296 (3M) / 4:3 mode: 2304 x 1728 (4M)

Image Size: VGA

640 x 480

Burst Record / Auto Exposure Bracketing

NO

Burst Recording / Multi 9 Pictures

NO

Rendering index

JA

Memory Mix

NO

PictBridge™ Compatibility

JA

Still image and Movie (Dual Rec)

YES (2.3 M, unlimited)

Other

16:9 Wide (Full) Recording

JA

Start-/Stopp-Taste on LCD

JA

Zoom button on LCD

JA

Automatic Geotagging by GPS

JA

BRAVIA Sync

JA

Progressive playback in Full HD

NO

Accessory Shoe

JA

Battery Info

JA

Built in Light

NO

Demonstration Mode

JA

InfoLITHUM system

JA

Picture Effects

NO

Digital Picture Effects

NO

Power Consumption: LCD (W)

3.9

Continuous Recording Time with Supplied Battery and LCD backlight. (Min)

105

Maximum Continuous Recording Time with Optional. Battery and LCD backlight (in minutes)

395

Progressive Recording

NO

USB interface

NO

Easy Handycam function

JA

Included accessories

Power Supply

AC-L200

AV Cable

Multi (no S-cable)

Battery Pack

NP-FH60

Handycam Station

NO

USB cable

JA

USB driver

JA

Processing software

Picture Motion Browser

Stylus (pen)

NO

Shoulder

NO

Wrist strap

NO

Tape / Cleaning Tape

NO

Wireless remote control

RMT-835

21-pin Euro-AV adapter

NO

Viewfinder / LCD Monitor

LCD Type

Clear Photo LCD plus

Hybrid LCD Display

JA

LCD: Size (inch)

2.7

LCD: Pixels (dots)

211 200

Touch Screen

JA

Viewfinder

NO

Recorder / Player

Video Format

High Definition, AVCHD (1920 x 1080, 1440 x 1080) / Standard Definition, MPEG2

Recording media

120-GB hard drive, memory stick

HYBRID (Movie rec on Memory Stick)

JA

HYBRID Plus (Movie rec on internal memory and Memory Stick)

NO

Film Quality

HD, FH (1920x1080i, 16 Mb / s) / HQ (9 Mb / s) / SP (7 Mb / s) / LP (5 Mb / s), SD, HQ (9 Mb / s) / SP (6 Mb / s) / LP (3 Mb / s)

Picture Index

JA

Face Index

JA

Film Roll Index

JA

Index cards

JA

Playlist Edit

Add / Delete / Move

Original Edit

Delete

Highlight Playback

JA

One Touch Disc Burn

JA

Dubbing Button

NO

Playback in NTSC on PAL TV

NO

Playback Zoom

JA

Signal conversion

NO





Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus  
GmbH & Co. KG  
Klönnestraße 94  
D-44143 Dortmund**

**[www.brakensiek.com](http://www.brakensiek.com)**

 **+49(0)231.985-00 10**

 **+49(0)231.985-2000**

**BRAKENSIEK®**  
**SYSTEMHAUS**

**Tim Brakensiek**